

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	51	(print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5)) with (time\$5 adj3 day)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 13:51
L2	485	select\$5 with (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5)) with (time\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 13:54
L3	1	select\$5 with (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5)) with (time near4 day)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 13:52
L4	326	2 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 13:59
L5	35	select\$5 with (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5)) with (timing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:09
L6	32	5 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:24
L7	0	(determin\$5 analyz\$5) with (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5)) with protocol\$5 with host\$5 near4 type\$5 with application\$5 adj2 type\$5 with priori\$5 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:10
L8	0	(determin\$5 analyz\$5) same (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5)) same protocol\$5 same host\$5 near4 type\$5 same application\$5 adj2 type\$5 same priori\$5 same (time when)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:18

L9	0	(determin\$5 analyz\$5) same (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5)) same protocol\$5 same host\$5 near4 type\$5 same application\$5 adj2 type\$5 same (priori\$5 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:19
L10	0	(determin\$5 analyz\$5) same (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5)) same protocol\$5 same host\$5 near4 type\$5 same application\$5 adj2 type\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:22
L11	6885	(determin\$5 analyz\$5) same (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:22
L12	2869	(determin\$5 analyz\$5) adj4 (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5 request\$5 job\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:23
L13	187	(determin\$5 analyz\$5) adj4 (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5 request\$5 job\$5)) with (type\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:56
L14	88	13 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:24
L20	1	(determin\$5 analyz\$5) adj4 (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5 request\$5 job\$5)) with (type\$5 adj2 input\$5 adj2 devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:58
L21	2	(determin\$5 analyz\$5) adj4 (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5 request\$5 job\$5)) with (type\$5 adj2 (input\$5 protocol\$5 application\$5 host\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:01

L22	12	(determin\$5 analyz\$5) with (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5 request\$5 job\$5)) with (type\$5 adj2 (input\$5 protocol\$5 application\$5 host\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:02
L23	23	(determin\$5 analyz\$5) with (print\$5 adj2 (characteris\$5 attribut\$5 setting\$5 parameter\$5 setting\$5 information\$5 request\$5 job\$5)) with (type\$5 near4 (input\$5 protocol\$5 application\$5 host\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:01
S1	1	("9661898").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:57
S2	2	("5731823").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:59
S3	493	(print\$5 adj2 (setting\$5 mode\$5 attribut\$5 profile\$5 parameter\$5)) with (number\$5 near4 page\$5 data near3 amount\$5 total\$5 adj2 page\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:02
S4	260	S3 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 17:00
S5	1	((select\$5 choos\$5 chos\$5 determin\$5) adj4 (print\$5 adj2 (mode\$5 scheme\$5)) with base\$5 with (number\$5 adj2 page\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:21
S6	1	("5971582").URPN.	USPAT	OR	ON	2004/12/13 15:20
S7	1	((select\$5 choos\$5 chos\$5 determin\$5) with (print\$5 adj2 (mode\$5 scheme\$5)) with base\$5 with (number\$5 adj2 page\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:35
S8	3	((select\$5 choos\$5 chos\$5 determin\$5) with (print\$5 adj2 (mode\$5 scheme\$5)) with base\$5 with (total\$5 adj2 page\$5 amount\$5 adj2 data\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:26

S9	2	((select\$5 choos\$5 chos\$5 determin\$5) with (print\$5 adj2 (mode\$5 scheme\$5)) with speed\$5 with (number\$5 near4 page\$2 total\$5 adj2 page\$5 amount\$5 adj2 data\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:29
S10	2	JP-09286152-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 19:22
S11	2	((select\$5 choos\$5 chos\$5 determin\$5) with (print\$5 adj2 (mode\$5 scheme\$5)) with speed\$5 with (number\$5 adj2 page\$5 total\$5 adj2 page\$5 amount\$5 adj2 data\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:22
S12	8	((select\$5 choos\$5 chos\$5 determin\$5) with (print\$5 adj2 (mode\$5 scheme\$5)) same speed\$5 same (number\$5 adj2 page\$5 total\$5 adj2 page\$5 amount\$5 adj2 data\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:42
S13	34	((select\$5 choos\$5 chos\$5 determin\$5) with (print\$5 adj2 (mode\$5 scheme\$5)) with (number\$5 adj2 page\$5 total\$5 adj2 page\$5 amount\$5 adj2 data\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:51
S14	3178	"L13" not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:25
S15	32	S13 not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:25
S16	19	S15 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:37
S17	2	("6356358").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:37

S18	325	((select\$5 choos\$5 chos\$5 determin\$5) with (attribut\$5 setting\$5 parameter\$5) with (amount\$5 adj2 image\$5 adj2 data\$5 number\$5 adj2 page\$5 total\$5 adj2 page\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:58
S19	48	((select\$5 choos\$5 chos\$5 determin\$5) with (attribut\$5 setting\$5 parameter\$5) with (amount\$5 adj2 image\$5 adj2 data\$5 number\$5 adj2 page\$5 total\$5 adj2 page\$5)) same base\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 17:13
S20	24	S19 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 17:14
S21	1	JP-02042457-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 17:05
S22	189	((select\$5) with (attribut\$5 setting\$5 parameter\$5) with (amount\$5 adj2 image\$5 adj2 data\$5 number\$5 adj2 page\$5 total\$5 adj2 page\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 17:54
S23	100	S22 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 17:56
S24	108	select\$5 near4 print\$5 adj2 mode\$2 with speed\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:00
S25	64	S24 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:01
S26	15	select\$5 near4 print\$5 adj2 mode\$2 with speed\$5 with (amount\$5 number\$5 page\$5 total)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:05

S27	7	S26 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:15
S28	3	select\$5 with print\$5 adj2 (mode\$2 setting\$3 attribute\$3) with (page\$5 near4 total)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:06
S29	6	select\$5 with (print\$5 adj2 setting\$5) with (number\$5 adj4 page\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:13
S30	14	select\$5 with (print\$5 adj2 mode\$5) with (number\$5 adj4 page\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:15
S31	55	select\$5 with (speed\$5) with (number\$5 adj4 page\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:17
S32	39	S31 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:19
S33	0	select\$5 with (print\$5 adj2 setting\$5) with (amount\$5 adj2 image\$5 adj2 data total\$5 adj3 page\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:18
S34	5	select\$5 with (print\$5 adj2 setting\$5) with (amount\$5 adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:18
S35	204	select\$5 with (speed\$5) with (amount\$5 adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:22
S36	138	S35 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:24

S37	3	("5107276" "5917519" "5995067").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/13 18:21
S38	5	select\$5 with (print\$4 adj2 speed\$5) with (amount\$5 adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:23
S39	51	select\$5 with (print\$4 adj2 speed\$5) with (page\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:32
S40	33	S39 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:37
S41	2	select\$5 with (print\$4 adj2 speed\$5) with (predetermin\$5 adj2 amount\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:53
S42	6	select\$5 with (print\$4 adj2 setting\$5) with (predetermin\$5 adj2 amount\$5 total\$5 adj2 page\$5 number\$5 adj2 page\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:26
S43	27	select\$5 same (print\$4 adj2 setting\$5) same (predetermin\$5 adj2 amount\$5 total\$5 adj2 page\$5 number\$5 adj2 page\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:43
S44	21	S43 not S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:37
S45	7	S44 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 19:00
S46	2	("5467434").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 18:41

S47	17	(print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with base\$5 with (predetermin\$5 adj2 amount\$5 total\$5 adj2 page\$5 number\$5 adj2 page\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:55
S48	7	S47 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 18:46
S49	0	select\$5 with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with (amount\$5 adj2 text\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:38
S50	13	select\$5 with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with (amount\$5 near4 (text\$5 image\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 19:11
S51	5	S50 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 19:11
S52	2	("5909602").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 19:06
S53	20	select\$5 with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with (amount\$5 near4 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 19:16
S54	10	S53 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 19:17
S55	17	(print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with base\$5 with (amount\$5 near4 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 19:16
S56	11	S55 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 19:17

S57	1	JP-02042457-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 19:22
S58	57	(compar\$5 analyz\$5) with (total\$5 adj2 page\$5 number\$5 adj2 page\$5) with (threshold\$5 predetermin\$5 value\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:12
S59	39	S58 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:13
S60	158	(compar\$5) with (total\$5 adj2 page\$5 number\$5 adj2 page\$5) with (threshold\$5 predetermin\$5 value\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:22
S61	123	S60 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:22
S62	12	compar\$5 with (total\$5 adj2 page\$5 number\$5 adj2 page\$5) with (print\$5 adj2 job\$5 document\$5) with (threshold\$5 predetermin\$5 value\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:42
S63	8	S62 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:50
S64	51	count\$6 with (total\$5 adj2 page\$5 number\$5 adj2 page\$5) with (print\$5 adj2 job\$5 document\$5) with (threshold\$5 predetermin\$5 value\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:37
S65	34	S64 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:26
S66	6	compar\$5 with count\$6 with (total\$5 adj2 page\$5 number\$5 adj2 page\$5) with (print\$5 adj2 job\$5 document\$5) with (threshold\$5 predetermin\$5 value\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:44

S67	9	adjust\$5 with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with (amount\$5 adj2 data number\$5 adj2 page\$5 total\$5 adj2 page\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:50
S68	38	determin\$5 with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with (amount\$5 adj2 data number\$5 adj2 page\$5 total\$5 adj2 page\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:45
S69	2	jp-09286152-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:45
S70	22	adjust\$5 same (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) same (amount\$5 adj2 data number\$5 adj2 page\$5 total\$5 adj2 page\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:50
S71	13	S70 not S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:50
S72	8	S71 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:39
S73	3	(count\$5 adj2 (total\$5 adj2 page\$5 number\$5 adj2 page\$5)) adj4 (print\$5 adj2 job\$5 document\$5 print\$5 adj1 data) with compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:56
S74	2	EP-456478-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:56
S75	2	("5227894").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 12:56
S76	0	(count\$5 adj2 (text\$5 adj2 amount\$5)) with (document\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 13:59

S77	1	(count\$5 adj2 (text\$5 adj2 data\$5)) with (document\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:00
S78	2	(count\$5 adj5 (text\$5 adj2 data\$5)) with (document\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:00
S79	27	(determin\$5 count\$5) with (text\$5 near4 amount\$5) with (document\$5 print\$5 adj2 (job\$5 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:04
S80	16	S79 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:07
S81	11	(calculat\$5) with (text\$5 near4 amount\$5) with (document\$5 print\$5 adj2 (job\$5 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:04
S82	1	(analyz\$5) with (text\$5 near4 amount\$5) with (document\$5 print\$5 adj2 (job\$5 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:05
S83	512	(count\$5 determin\$5 analyz\$5) with (text\$5 near4 (amount\$5 data\$5 quantit\$5)) with (document\$5 print\$5 adj2 (job\$5 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:07
S84	277	(count\$5 determin\$5 analyz\$5) with (text\$5 adj2 (amount\$5 data\$5 quantit\$5)) with (document\$5 print\$5 adj2 (job\$5 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:16
S85	179	S84 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:24
S86	42	(count\$5 determin\$5 obtain\$5) with (text\$5 near4 (amount\$5 quantit\$5)) with (document\$5 print\$5 adj2 (job\$5 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:16

S87	179	S85 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:16
S88	31	S86 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:17
S89	0	(compar\$5 adj4 (text\$5 with (graphic\$5 image\$5))) same (print\$5 adj2 (setting\$5 parameter\$5 mode\$5 scheme\$5 attribut\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:25
S90	9	(compar\$5 with (text\$5 with (graphic\$5 image\$5))) same (print\$5 adj2 (setting\$5 parameter\$5 mode\$5 scheme\$5 attribut\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:25
S91	2	("5731823").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 14:32
S92	7	(compar\$5 with amount\$5 near4 text\$2 with amount\$5 near4 image\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:34
S93	1	select\$5 with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with (amount\$5 near4 text\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:39
S94	12	select\$5 with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with (amount\$5 near4 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:39
S95	0	select\$5 with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with (amount\$5 near4 graphic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:13
S96	0	S95 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:40

S97	20	select\$5 with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with (amount\$5 near4 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:53
S98	10	S97 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:16
S99	0	(select\$5 adjust\$5) adj6 (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5 speed\$5)) with (amount\$5 near4 text\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:54
S10 0	0	(select\$5 adjust\$5) adj6 (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5 speed\$5)) with (amount\$5 near4 graphic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:54
S10 1	0	(select\$5 adjust\$5) adj6 (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5 speed\$5)) same (amount\$5 near4 (text\$2 graphic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:55
S10 2	1	(select\$5 adjust\$5) with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5 speed\$5)) same (amount\$5 near4 (text\$2 graphic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:56
S10 3	5	print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5 speed\$5) with (amount\$5 near4 (text\$2 graphic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:58
S10 4	6265	(amount\$5 near4 (text\$2 graphic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:58
S10 5	1	print\$5 adj2 (setting\$5 attribut\$5 parameter\$5 speed\$5) with (amount\$5 near4 (text\$2 graphic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:59
S10 6	4	print\$5 adj2 (setting\$5 attribut\$5 parameter\$5 speed\$5) same (amount\$5 near4 (text\$2 graphic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:59

S10 7	15	select\$5 with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with (text\$5 near4 graphic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:15
S10 8	14	select\$5 with (print\$4 adj2 (setting\$5 mode\$5 attribut\$5 parameter\$5 scheme\$5)) with base\$2 with text\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:15
S10 9	6	S108 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:44
S11 0	41	(print\$5 near2 speed\$5) with (text\$5 near4 graphic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:44
S11 1	32	S110 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:52
S11 2	17	compare\$5 adj4 text\$5 adj4 graphic\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:58
S11 3	0	compare\$5 adj4 text\$5 adj4 graphic\$5 with amount\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:53
S11 4	2	compar\$5 same (amount\$5 near3 text\$5) same (amount\$5 near3 image\$5) same (document\$5 print\$5 adj2 job\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 18:01
S11 5	2	determin\$5 same (amount\$5 near3 text\$5) same (amount\$5 near3 image\$5) same (document\$5 print\$5 adj2 job\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 19:13
S11 6	2	("6757081").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 13:45